101 E. Route 4 West Paramus, NJ 07652 Tel: (844) 300 8530



Celebrating 60 Years of Quality Customer Service

Order Number: 785030

Order Date: 2022-09-30

Customer: Cheikin Patti

Store Hours:

Fax:

By Appointment

Installation 7910 2778 4715

Your Design Consultant:

					Karen reeney	
LINE	QTY	PRODUCT DESCRIPTI	ON			
010	2	Door, Kitchen Nook		Blind Dimensions		
		Roller Shade		Width	<u>−</u> 22	
		Landscape, Beach		Height	— 70	
				Mount Location	— Outside Mount	
		Mechanism	Sidewinder V2			
		Control Position	Left			
		Hold-Down Brackets	- Yes			
		Type Of Measurement	— Cloth To Cloth			
		Valance Type	 Fabric Cassette 			
		Valance Width	- 23 3/8			
		Chain Color	— White Metal			T to the
		Bb/Bkt Covers	Standard			Initials
020	2	Door, Kitchen Nook		Blind Dimensions		
		Roller Shade		Width	- 24 ↔	
		Landscape, Beach		Height	<u> </u>	
				Mount Location	Outside Mount	
		Mechanism	— Sidewinder V2			
		Control Position	— Left			
		Hold-Down Brackets	— Yes			
		Type Of Measurement	Cloth To Cloth			
		Valance Type	Fabric Cassette			
		Valance Width	<u>- 25 3/8</u>			
		Chain Color	— White Metal			
		Bb/Bkt Covers	Standard			Initials

Tel: (844) 300 8530 Fax:



Celebrating 60 Years of Quality Customer Service

Order Number: 785030

Order Date: 2022-09-30

Customer: Cheikin Patti

Your Design Consultant:

LINE	QTY	PRODUCT DESCRIPTION	N			
030	1	Dining Room, Back Nool Roller Shade Landscape, Beach	ζ	Blind Dimensions Width Height Mount Location Depth	 — 31 3/4 ↔ — 76 1/2 ‡ — Inside Mount — 3 	
		Mechanism Control Position Type Of Measurement Valance Type Valance Width Motorized Bb/Bkt Covers	 Sidewinder V2 Left Tip To Tip Fabric Cassette 31 7/8 Yes Rechargable Standard 			Initials
040	2	Dining Room, Kitchen N Roller Shade Landscape, Beach	ook Sides	Blind Dimensions Width Height Mount Location Depth	 24 3/8 ↔ 75 1/4 ‡ Inside Mount 3 	
		Mechanism Control Position Type Of Measurement Valance Type Valance Width Motorized Bb/Bkt Covers	 Sidewinder V2 Left Tip To Tip Fabric Cassette 24 1/2 Yes Rechargable Standard 			Initials
050	2	Family Room, Backsides Roller Shade Landscape, Beach		Blind Dimensions Width Height Mount Location Depth	 65 3/4 ↔ 74 3/4 ‡ Inside Mount 3 	
		Mechanism Control Position Type Of Measurement Valance Type Valance Width Motorized Bb/Bkt Covers	 Sidewinder V2 Right Tip To Tip Fabric Cassette 65 7/8 Yes Rechargable Standard 			Initials

Tel: (844) 300 8530 Fax:



Celebrating 60 Years of Quality Customer Service

Order Number: 785030

Order Date: 2022-09-30

Customer:

Cheikin Patti

Your Design Consultant:

LINE	QTY	PRODUCT DESCRIPTION	ON			
060	1	Family Room, Center Roller Shade Landscape, Beach		Blind Dimensions Width Height Mount Location Depth	 23 7/8 ↔ 74 3/4 ‡ Inside Mount 3 	
		Mechanism Control Position Type Of Measurement Valance Type Valance Width Motorized Bb/Bkt Covers	 Sidewinder V2 Right Tip To Tip Fabric Cassette 24 Yes Rechargable Standard 			Initials
070	2	Family Room, Sides Roller Shade Landscape, Beach		Blind Dimensions Width Height Mount Location Depth	 23 7/8 ↔ 74 3/4 ‡ Inside Mount 3 	
		Mechanism Control Position Type Of Measurement Valance Type Valance Width Motorized Bb/Bkt Covers	 Sidewinder V2 Right Tip To Tip Fabric Cassette 24 Yes Rechargable Standard 			Initials
080	1	, Middle Room Side L Roller Shade Landscape, Beach		Blind Dimensions Width Height Mount Location Depth	 65 7/8 ↔ 74 3/4 ‡ Inside Mount 3 	
		Mechanism Control Position Type Of Measurement Valance Type Valance Width Motorized Bb/Bkt Covers	 Sidewinder V2 Right Tip To Tip Fabric Cassette 66 Yes Rechargable Standard 			Initials

Tel: (844) 300 8530

Fax:



Celebrating 60 Years of Quality Customer Service

Order Number: 785030

Order Date: 2022-09-30

Customer: Cheikin Patti

Your Design Consultant:

LINE	QTY	PRODUCT DESCRIPTI	ION						
090	1	Other, Middle Room Right Roller Shade Landscape, Beach		N H	Blind Dimensions Width Height Mount Location Depth	 65 5/8 ↔ 74 3/4 ‡ Inside Mount 3 			
		Mechanism Control Position Type Of Measurement Valance Type Valance Width Motorized Bb/Bkt Covers	_ _ _ _	Sidewinder V2 Right Tip To Tip Fabric Cassette 65 3/4 Yes Rechargable Standard					Initials
100	1	Family Room Motor Accessory Part	_	Remote, 15 Channel					Initials

Tel: (844) 300 8530

Fax:



Celebrating 60 Years of Quality Customer Service

Order Number: 785030

Order Date: 2022-09-30

Customer: Cheikin Patti

Your Design Consultant:

Karen Feeney

14	Total Blinds	Low Factory Direct Price	7316.20
1	Total Accessories	Promo Savings	-1806.96
		Preferred Customer Coupon	-500.00
		Our Guaranteed * Low, Factory-Direct Price	5009.24
		Measure/Installation	73.59
		Initiation Motorized Fee	114.35
		Total	5197.18

Refer a relative or friend and get \$100 when your referral is hired!

A key component of the Blinds To Go success story is our commitment to developing and promoting our leaders internally. Our growth creates many advancement opportunities. Do you know someone interested in a career? Just go online at: http://www.blindstogo.com/en/careers

The Blinds To Go Guarantee

Our Low, Factory-Direct Prices are consistently below those of comparable products in local retail stores. You can be confident that you are getting the highest quality product at the lowest price. We guarantee it. **Please note that your low, factory-direct price does not include any measuring or installation costs.**

The Blinds To Go Warranty

All our custom-made products carry a lifetime warranty. All motors of Blinds to Go Motorization Program will carry a 5-year warranty. All installation labor will carry a 1-year warranty from the date of installation. Since your order is custom-made to your exact specifications, we require that you remeasure your windows before we release your order to our factory. This will ensure that your order is correct. Once your order has been sent to our factory, no changes, refunds or exchange can be accommodated. Blinds To Go is not responsible for products left in the store over 180 days.

AWARNING/ADVERTENCIA/MISE EN GARDE



The cords on this product present a potential strangulation hazard.

Los cordones de este producto representan un posible riesao de estranaulación. Les cordons de ce produit présentent un risaue d'étranalement potentiel.



For child safety, consider cordless alternatives or products with inaccessible cords.

Para protecer la securidad de los niños, considere alternativas sin cordón o productos sin cordones accessibles.

Pour la sécurité des enfants envisader des alternatives sans cordons ou des produits avec des cordons inaccessibles

Thank you for your business

Satisfying your needs is very important to us. Please help us earn a **** * star rating on Yelp & Google Plus and refer your friends and family! Give us feedback at http://www.blindstogo.com/en/contact-us

Your order is being shipped to:

Btg Warehouse #802 - Lewes,De 17512 Shady Rd. Lewes, DE 19958 Tel: (844) 300 8530 Store Hours: Sun 12pm-5pm Mon and Thu 10am-7pm Tue,Wed,Fri,Sat 10am-7pm

X	Authorization			

Tel: (844) 300 8530

Fax:



Celebrating 60 Years of Quality Customer Service

Order Number: 785030

Order Date: 2022-09-30

Customer: Cheikin Patti

Your Design Consultant:

Karen Feeney

LINE QTY PRODUCT DESCRIPTION

Motorized Pulse 2 HUB Information

Pulse 2 HUB

Unlock the luxury of automated shade control.

Pulse 2 easily integrates with most automated smart home platforms allowing for full customized automation of your blinds & shades. Features include:

- Voice Activation
- Automated Timers & Schedules
- Compatibility with smart home platforms including Amazon Alexa, Apple HomeKit & Google Assistant.







Quick Start Guide:

Please follow these steps **PRIOR** to your scheduled installation.

- 1. Ensure your mobile device is well charged.
- 2. Please ensure your phone's Operating System or Software is up to date.
- If not already, install the "Homekit" app on your phone. (For iPhone Users ONLY).
- 4. Download the "Automate Pulse 2 Hub" app. Free download available on both the App Store and Google Play.
- 5. Create an account on the Automate Pulse 2 Hub app.
- 6. On the day of your appointment, connect your phone's Internet to a 2.4 Ghz or Ethernet (CAT 5) network. This network connection is necessary only for initial pairing. Once the hub configuration is complete, you can put the phone's Internet back on your 5G network.
- 7. Validate the quality of the WiFi signal.



Questions?
Scan this QR code to view instructional videos